**Patents Granted to Kin K. Leung (August 2011)**

[1] "Operations of Cellular Communications Systems Based on Mobility and Teletraffic Statistics Collected by Mobile Units," co-invented by S. Nanda and K.L. Yeung, U.S. Patent No. 5,623,535, April 22, 1997.

[2] "Efficiently Providing Multiple Grades of Service with Protection Against Overloads in Shared Resources," co-invented by G.L. Choudhury and W. Whitt, U.S. Patent No. 5,719,854, February 17, 1998.

[3] "Traffic Information Estimation and Reporting System," co-invented by M.J. Foladare, S.B. Goldman, Y. Ronen, G.G. Schlanger and D.P. Silverman, U.S. Patent No. 5,732,383, March 24, 1998.

[4] "Method and System for Updating Replicated Databases in Foreign and Home Telecommunication Network Systems for Supporting Global Mobility of Network Customers," U.S. Patent No. 5,913,160, June 15, 1999.

[5] "Method and System for Updating Replicated Databases in a Telecommunication Network System," U.S. Patent No. 5,937,343, August 10, 1999.

[6] "Method for Called Party Control of Telecommunications Network Services," co-invented by G.G. Schlanger, U.S. Patent No. 6,005,870, Dec. 21, 1999.

[7] "Synchronization Methods for Distributed Processing Systems Having Replicated Data," co-invented by D.J. Houck and P.M. Winkler, U.S. Patent No. 6,021,118, February 1, 2000.

[8] "Method and Apparatus for Providing High Speed Services Using a Wireless Communications System," co-invented by T.K. Fong, P.S. Henry, X. Qiu and N.K. Shankaranarayanan, U.S. Patent No. 6,069,885, May 30, 2000.

[9] "Dynamic Resource Allocation Method and Apparatus for Broadband Services in a Wireless Communications System," co-invented by A. Srivastava, U.S. Patent No. 6,262,980, July 17, 2001.

[10] "Method and Apparatus for a High-Capacity Cellular Network by Improved Sectorization and Interleaved Channel Assignment," co-invented by L.-C. Wang, U.S. Patent No. 6,311,068, October 30, 2001.

[11] "Method and Apparatus for Accessing a Shared Channel in a Wireless Network Using a Time Slot Allocation Technique Based on Detecting the Usage of the Channel During a Round Trip Interval," co-invented by H. Chien, U.S. Patent No. 6,389,474, May 14, 2002.

[12] "Method and Apparatus for Sector Based Resource Allocation in a Broadband Wireless Communications System," co-invented by A. Srivastava and N.K. Shankaranarayanan, U.S. Patent No. 6,400,697, June 4, 2002.

[13] "Method and Apparatus for Controlling Access to a Communication Channel," co-invented by H. Chien, U.S. Patent No. 6,404,753, June 11, 2002.

[14] "Method and System for Power Control in Wireless Networks Using Interference Prediction with an Error Margin," U.S. Patent No. 6,519,705, February 11, 2003.

[15] "Method and Apparatus for a High-Capacity Cellular Network by Improved Sectorization and Interleaved Channel Assignment," Continuation of Previous Patent, co-invented by L.-C. Wang, U.S. Patent No. 6,580,912, June 17, 2003.

[16] "Method and Apparatus for Providing High Speed Services Using a Wireless Communications System," Continuation of Previous Patent, co-invented by T.K. Fong, P.S. Henry, X. Qiu and N.K. Shankaranarayanan, U.S. Patent No. 6,657,982, Dec. 2, 2003.

[17] "Method and Apparatus for Controlling Access to a Communication Channel," co-invented by H. Chien, J.-M. Ho, L.A. Hong and E. Hoole, U.S. Patent No. 6,963,580, Nov. 8, 2005.

[18] "E-coupon Service for Location-Aware Mobile Commerce Which Determines Whether to Supply Requested E-Coupons based on the Number of Requests Received in a Processing Cycle, and a Threshold Number of Requests Required to Make Expected Returns from Redeemed Coupons Greater Than Advertising Fees," co-invented by H. Luo and N.K. Shankaranayanan, U.S. Patent No. 6,996,579, Feb. 7, 2006.

[19] "Layer-2 IP networking method and apparatus for mobile hosts," co-invented by P.S. Henry, Z. Jiang, B.-J. Kim and H. Luo, U.S. Patent No. 7,058,059, June 6, 2006.

[20] "Wireless network having link-condition based proxies for QoS management," co-invented by Z. Jiang, U.S. Patent No. 7,068,599, June 27, 2006.

[21] "Method of using link adaptation and power control for streaming services in wireless networks," co-invented by K.K. Chawla, P.F. Driessen and X. Qiu, U.S. Patent No. 7,124,193, October 17, 2006.

[22] "Mobile Device Having Network Interface Selection," co-invented by P.S. Henry, B.J. Kim and B. McNair, U.S. Patent No. 7,180,876, February 20, 2007.

[23] "Frequency Assignment for Multi-Cell IEEE 802.11 Wireless Networks," co-invented by B.J. Kim, U.S. Patent No. 7,206,586, April 17, 2007.

[24] "Method for Controlling Paging and Registration of a Mobile Device in a Wireless Communications System," co-invented by S. Das, T.E. Klein, S. Mukherjee, G.E. Rittenhouse, L.G. Samuel, H. Viswanathan and H. Zheng, U.S. Patent No. 7,263,371, August 28, 2007.

[25] "Method and Apparatus for Scheduling Transmissions in Wireless Data Networks," co-invented by T.E. Klein and H. Zheng, U.S. Patent No. 7,283,814, October 16, 2007.

[26] "Packet Shaping for Mixed Rate 802.11 Wireless Networks," co-invented by L.J. Cimini, Jr., Z. Kostic and H. Yin, U.S. Patent No. 7,301,965, November 27, 2007.

[27] "Frequency Assignment for Multi-Cell IEEE 802.11 Wireless Networks," co-invented by B.J. Kim, U.S. Patent No. 7,346,357, March 18, 2008.

[28] "WLAN Having Load Balancing Based on Access Point Loading," co-invented by Z. Kostic and H. Yin, U.S. Patent No. 7,400,901, July 15, 2008.

[29] "WLAN Having Load Balancing by Access Point Admission/Termination," co-invented by Z. Kostic and H. Yin, U.S. Patent No. 7,406,319, July 29, 2008.

[30] "E-coupon Service for Location-Aware Mobile Commerce Which Determines Whether to Supply Requested E-coupons Based on the Number of Requests Received in a Processing Cycle, and a Threshold Number of Requests Required to Make Expected Returns from

Redeemed Coupons Greater Than Advertising Fees," co-invented by H. Luo and N.K. Shankaranayanan, U.S. Patent No. 7,418,451, August 26, 2008.

[31] "System and Method to Support Networking Functions for Mobile Hosts That Access Multiple Networks," co-invented by P.S. Henry, Z. Jiang, B.J. Kim, H. Luo and N.K. Shankaranayanan, U.S. Patent No. 7,441,043, October 21, 2008.

[32] "System and method for estimating interference in a packet-based wireless networks," co-invented by J.H. Winters, U.S. Patent No. 7,453,861, November 18, 2008.

[33] "Method of using link adaptation and power control for streaming services in wireless networks," co-invented by K.K. Chawla, P.F. Driessen and X. Qiu, U.S. Patent No. 7,454,512, Novermber 18, 2008.

[34] "Method and apparatus for controlling access to a communication channel," co-invented by H. Chien, J.-M. Ho, L.A. Hong and E. Hoole, U.S. Patent No. 7,457,307, November 25, 2008.

[35] "Wirelesss communications system employing a network active set formed from base stations operable as primary and secondary agents," co-invented by S. Das, T.E. Klein, S. Mukherjee, G.E. Rittenhouse, L.G. Samuel, H. Viswanathan and H. Zheng, U.S. Patent No. 7,499,437, March 3, 2009.

[36] "Method and system for integrated link adaptation and power control to improve error and throughput performance in wireless packet networks," co-invented by J.C.-I. Chuang and L.-C. Wang, U.S. Patent No. 7,502,340, March 10, 2009.

[37] "Adaptive MAC fragmentation and rate selection for 802.11 wireless networks," co-invented by L.J. Cimini, Jr., Z. Kostic and H. Yin, U.S. Patent No. 7,519,030, April 14, 2009.

[38] "Method and apparatus for quality-of-service based admission control using prediction of scheduling gain," co-invented by S.R. Kadaba, T.E. Klein, S.G. Subramanian, U.S. Patent No. 7,535,839, May 19, 2009.

[39] "Method and apparatus for quality-of-service based admission control using a virtual scheduler," co-invented by S.R. Kadaba, T.E. Klein, S.G. Subramanian and H. Zheng, U.S. Patent No. 7,660,244, February 9, 2010.

[40] "Method for controlling a flow of information between secordary agents and a mobile device in a wireless communications system," co-invented by S. Das, T.E. Klein, S. Mukherjee, G.E. Rittenhouse, L.G. Samuel, H. Viswanathan and H. Zheng, U.S. Patent No. 7,676,223, March 9, 2010.

[41] "Layer-2 IP networking method and apparatus for mobile hosts," co-invented by P.S. Henry, Z. Jiang, B.-J. Kim and H. Luo, U.S. Patent No. 7,768,980, August 3, 2010.

[42] "Packet shaping for mixed rate 802.11 wireless networks," (a continuation of U.S. Patent No. 7,301,965 issued on November 27, 2007), co-invented by L.J. Cimini, Jr., Z. Kostic and H. Yin, U.S. Patent No. 7,769,043, August 3, 2010.

[43] "Conditional electronic coupon distribution method and system," co-invented by H. Lui and N.K. Shankaranayanan, U.S. Patent No. 7,769,634, August 3, 2010.

[44] "Method and Apparatus for Timeout Reduction and Improved Wireless Network Perfomrance by Delay Injection," co-invented by M. Haner and T.E. Klein, U.S. Patent No. 7,821,924, October 26, 2010.